Index to Volume 4

TITLES OF ARTICLES

A device for spatial, temporal and contrast resolution measurement using a VDU screen *F. W. Umbach*, 25

A light-emitting tube array for giant colour display *N. Fukushima, N. Terazaki*, 207

A three-colour 16 x 16 element light emitting diode display module *N. Fujimura*, 227

Aircraft keyboard ergonomics: a review *R.M. Taylor, J. V.F. Berman*, 97

Application and experience of colour CRT flight deck displays *N. W. Witt, E. Strongman*, 77

Bar code scanning information entry technology and application *I. F. Chang, S.J. Chu, S. T. Liu*, 140

Cathode ray tubes: recent trends for character-graphic display *K. Doi*, 197

Comparison of a touch-sensitive VDU and computer-aided keypad for plant control *D.M. Usher*, 157

Computation of the resultant chromaticity coordinates and luminance of combined and filtered sources in display design *J.P. Viveash, J. Laycock*, 17

Consideration of LCD legibility for automobiles *K. Akeyoshi, I. Terada*, 11

Development of terrain-following displays for the Tornado aircraft *G. A. Ward, J.M. Davies*, 73

Electrochromic displays: status and prospects *H. Hamada, K. Yano, H. Take, Y. Inami, M. Matsuura, T. Wada*, 221

Electromagnetic radiation emissions from visual display units: a review *E. A. Cox*, 7

Evaluation and optimization by colorimetry of polarizers for liquid crystal display *R. Mizoguchi, K. Kobayashi, T. Shimomura, S. Kobayashi*, 201

Four-dimensional flight management using colour CRT displays *M. F. Leffler, R.M. Heimbold*, 83

Frame repetition rate for flicker-free viewing of bright VDU screens *D. Bauer, M. Bonacker, C.R. Cavonius*, 31

High fidelity pictures for digitizing tablets *P.J. Willis*, 147

Interconnection and addressing methods for LCD arrays with fewer leads than a matrix *A.R. Kmetz*, 131

Man, machine and configuration: human factors versus hardware in avionic display design *G.H. Grosch*, 69

Silicon TFTs for flat panel displays *F. Morin, M. Le Contellec*, 3

Subjective assessment of bandwidth limitation of the 625-line television luminance signal *T. A. White, B.R. Patel*, 152

The metal dynode multiplier: a new component in CRT design *J.R. Mansell, A. G. Knapp, A. W. Woodhead, D. Washington, R. Pook, C.D. Overall, P. Schagen*, 135

Vacuum fluorescent displays: from single digits to colour TV *K. Kiyozumi, T. Nakamura*, 213

Wide field of view head-up displays *J.R. Banbury*, 89

RESEARCH AND TECHNICAL NOTES

Comparison of colour and black-and-white visual displays as indicated by bombing performance in the 2B35 TA-4J flight simulator *R.S. Kellogg, R.S. Kennedy, R.R. Woodruff*, 106

Measured and perceived colour on cathode ray tubes *A. W.S. Tarrant, S. Brown, J. Laycock*, 162

Measurement of contrast enhancement in VDU screens *S. Bennett, G. Trapani*, 167

EDITORIALS

67, 195

AUTHORS OF ARTICLES, RESEARCH AND TECHNICAL NOTES

K. Akeyoshi, I. Terada Consideration of LCD legibility for automobiles, 11

J.R. Banbury Wide field of view head-up displays, 89

D. Bauer, M. Bonacker, C.R. Cavonius Frame repetition rate for flicker-free viewing of bright VDU screens, 31

S. Bennett, G. Trapani Measurement of contrast enhancement in VDU screens, 167

J. V.F. Berman see *R.M. Taylor*, 97

M. Bonacker see *D. Bauer et al*, 31

S. Brown see *A. W.S. Tarrant et al*, 162

C.R. Cavonius see *D. Bauer et al*, 31

I.F. Chang, S.J. Chu, S.T. Liu Bar code scanning information entry technology and application, 140

S.J. Chu see *I.F. Chang et al*, 140

E.A. Cox Electromagnetic radiation emissions from visual display units: a review, 7

J.M. Davies see *G.A. Ward*, 73

K. Doi Cathode ray tubes: recent trends for character-graphic display, 197

N. Fujimura A three-colour 16 x 16 element light emitting diode display module, 227

N. Fukushima, N. Terazaki A light-emitting tube array for giant colour display, 207

G.H. Grosch Man, machine and configuration: human factors versus hardware in avionic display design, 69

H. Hamada, K. Yano, H. Take, Y. Inami, M. Matsuura, T. Wada Electrochromic displays: status and prospects, 221

R.M. Heimbold see *M.F. Leffler*, 83

Y. Inami see *H. Hamada et al*, 221

R.S. Kellogg, R.S. Kennedy, R.R. Woodruff Comparison of colour and black-and-white visual displays as indicated by bombing performance in the 2B35 TA-4J flight simulator, 106

R.S. Kennedy see *R.S. Kellogg et al*, 106

K. Kiyozumi, T. Nakamura Vacuum fluorescent displays: from single digits to colour TV, 213

A.R. Kmetz Interconnection and addressing methods for LCD arrays with fewer leads than a matrix, 131

A.G. Knapp see *J.R. Mansell et al*, 135

K. Kobayashi see *R. Mizoguchi et al*, 201

S. Kobayashi see *R. Mizoguchi et al*, 201

J. Laycock see *A. W.S. Tarrant et al*, 162
J. Laycock see *J.P. Viveash*, 17
M. Le Contellec see *F. Morin*, 3
M.F. Leffler, R.M. Heimbold Four-dimensional flight management using colour CRT displays, 83
S.T. Liu see *I.F. Chang et al*, 140
J.R. Mansell, A.G. Knapp, A.W. Woodhead, D. Washington, R. Pook, C.D. Overall, P. Schagen The metal dynode multiplier: a new component in CRT design, 135
M. Matsuura see *H. Hamada et al*, 221
R. Mizoguchi, K. Kobayashi, T. Shimomura, S. Kobayashi Evaluation and optimization by colorimetry of polarizers for liquid crystal display, 201
F. Morin, M. Le Contellec Silicon TFTs for flat panel displays, 3
T. Nakamura see *K. Kiyozumi*, 213
C.D. Overall see *J.R. Mansell et al*, 135
B.R. Patel see *T.A. White*, 152
R. Pook see *J.R. Mansell et al*, 135
P. Schagen see *J.R. Mansell et al*, 135
T. Shimomura see *R. Mizoguchi et al*, 201
E. Strongman see *N.W. Witt*, 77
H. Take see *H. Hamada*, 221
A.W.S. Tarrant, S. Brown, J. Laycock Measured and perceived colour on cathode ray tubes, 162
R.M. Taylor, J.V.F. Berman Aircraft keyboard ergonomics: a review, 97
I. Terada see *K. Akeyoshi*, 11
N. Terazaki see *N. Fukushima*, 207
G. Trapani see *S. Bennett*, 167
F.W. Umbach A device for spatial, temporal and contrast resolution measurement using a VDU screen, 25
D.M. Usher Comparison of a touch-sensitive VDU and computer-aided keypad for plant control, 157
J.P. Viveash, J. Laycock Computation of the resultant chromaticity coordinates and luminance of combined and filtered sources in display design, 17
T. Wada see *H. Hamada et al*, 221
G.A. Ward, J.M. Davies Development of terrain-following displays for the Tornado aircraft, 73
D. Washington see *J.R. Mansell et al*, 135
T.A. White, B.R. Patel Subjective assessment of bandwidth limitation of the 625-line television luminance signal, 152
P.J. Willis High fidelity pictures from digitizing tablets, 147
N.W. Witt, E. Strongman Application and experience of colour CRT flight deck displays, 77
A.W. Woodhead see *J.R. Mansell et al*, 135
R.R. Woodruff see *R.S. Kellogg et al*, 106
K. Yano see *H. Hamada et al*, 221

CONFERENCES

British Liquid Crystal Group meeting (15–17 September 1982), 124
Colour in visual displays (23–25 March 1983), 187
Computer graphics '82 (19–21 October 1982), 188
Electronic displays '82 (5–7 October 1982), 60
International conference on electronic image processing (26–28 July 1982), 61
International display research conference (19–21 October 1982), 184
International liquid crystal conference (6–10 December 1982), 126
Map displays (25 May 1983), 249
Physics, chemistry and application of thermotropic liquid crystals (27–28 October 1982), 125
SAE international congress (28 February–2 March 1983), 186
SID international symposium (10–14 May 1982), 47
Siggraph '82 (26–30 July 1982), 61
The problems of high information density LCDs (30 March 1983), 185
Use and abuse of colour displays (27 October 1982), 124
VDUs – the key issues (14 June 1983), 248
Videotex '82 (28–30 June 1982), 57

BOOK REVIEW

Advances in image pick-up and display, volumes four and five *Edited by B. Kazan* (reviewed by C. Hilsum), 189

PRODUCT REVIEW

Sony Watchman flat CRT pocket TV set, 230

RESEARCH REPORTS

Ferranti Navigation Systems Department, 110
Smiths Industries Aerospace and Defence Systems Company, 108

NEWS

A310 EFIS deliveries, 120
. . . and gain their European wings, 114
Artist's terminal, 174
Battlefield chopper trials, 118
Better memory chips leave room for doubled field frequency, 237
Better memory graphics, 36
Bleeper says it in digits, 178
British pilots snub HUD, 115
Business jets get EFIS, 117
Cheaper graphics copying, 39
Chopper CRTs certified, 240
Circular bar graph LCD, 179
Colour CRT options for ATR-42, 119
Colour graphics slides, 37
Colour switch-on, 243
Colour weather mapping cheaply, 115
Command, control, simulation and training in one, 176
Computer animation for Disney, 35
Computer giant backs plasma technology, 243
Computer typography, 179
CRT displays aid recovery, 119
Data compression expands, 121
Digital TV to boom, 180
Display management software eases workloads, 239
Display technology study tour to Japan, 174
Dynamic contrast and colour, 122
EL backlights LC TV, 122
EL production plant, 234
EL rims to instrument dials, 113
Electro-optical Arabic, 241
Expo giant displays, 234
FAA go-ahead for Boeing EFIS, 116
Filters and shutters combine for first colour pocket TV, 234
Five-fold growth in UK home computers, 239
Flat terminal combines plasma and CRT techniques, 172

Flat TV looks on the bright side, 175
Flight simulation overhaul, 41
FMS trainer for Swissair, 120
Forty LEDs per second, 235
Further delays for Sinclair's TV, 242

Graphics, intelligent VDUs, 178
Graphics software pact, 38

Helicopter matrix LC panel, 118
High resolution tubes, 179
HUDs see signs of civilization . . . , 114

Image data tablet, 177
Impasse in VDU hazard research, 121
In-house graphics training, 37

Japan display market set to stay world's largest, 232

Large alphanumeric LCD, 41
Large display update, 175
Large letter displays help the partially sighted, 241
Laser eraser for optical discs, 179
LC and VF displays on Europe's new cars, 171
LCD graphics modules, 38
LCDs from watch expertise, 35
LCDs go into orbit, 116
LED arrays for laser systems, 41
LED heads for reconnaissance, 38
LED drivers, 242
LEDs double colour choice, 237
LEDs for F-16 data entry, 115
LEDs score in Grand Prix, 40
Lightweight character tube, 39
Liquid crystal course, 180
Liquid crystal data link, 174
Liquid crystal group for UK, 35
Low cost draughting in a week, 35
Lower tilt for a better image, 122

Memory plasma panels in the UK, 40
Metric CRT standard issued, 39
Middle east touch, 240
Mini terminal uses LCDs, 242
Mirage wins colour head-down, 120
More burn-in resistance, 174

Nearly flat, nearly square, 120

Pipeline graphics processing, 36
Portable oscilloscope CRT, 41
Positively not a flicker, 41
Prestel on EL, 177
Programmable panel, 242

Quick draw from hardware, 37

Radar display more powerful, 240
Raster scan 16-bit graphics, 40
Reassuring VDU users, 179
Repeater CRT hopes for Hawk, 119

Scandinavia gets Prestel, 178
Semiconductor advance improves LEDs, 239
Shaping up in Japan, 37
Shuffling the deck, 115
Simulators shift emphasis, 175
Single chip LCD drive, 40
Speaking up for voice output, 39

Telidon raises its standard, 39
Thatcher backs MMI, 178
The shape of things to come?, 238
Tornado head-down deal, 243
Touch add-on for VDUs, 174
Touch panel range, 38
24-hour avionics for the F-20, 112
Typing on the telephone, 34

UK HUDs for F-16s, 177
US expects Japanese display market push, 235
US growth for TV data, 177
USAF tests holographic HUDs, 113

VDU guide avoids controversy, 241
Videotex user safeguard call, 36
Warning VFDs for Sierra, 34
West researches to meet new Japan threat, 235
White-on-black LCD for A310, 120
Wrist-watching TV, 34

Literature

Are you sitting comfortably?, 42
Better mix on LC TV, 42
Brighter discharge panels, 123
Dual phosphor system for CRT, 42
Imager defects only minor, 43
Inputs tail user tests, 42
Integrated environment, 245
LB films now showing, 123
LCD power needs halved, 123
LED efficiencies take a jump, 123
LEDs to stand the heat, 181
More bits of output, 245
No room in the cockpit, 123
Novel application, 123
Prime time to cut thresholds, 181
Scrolled displays out, 245
Ten rules for naval display design, 42

Patents

Bright and dim EL panels, 45
Design for better yield, 247
Double-legend LCDs, 246
Energy-conscious EL, 44
Fibre optic faceplate LCD, 44
Fluorescent or luminescent, 46
Going against the drift, 246
Grey scales on plasma panel, 45
Guided beam VFD, 44
Holographic TV, 182
Keep your distance, 182
LC TV colour process, 246
LCD heat leaks blocked, 182
LCD on silicon with longer life, 45
Longer life for EL panels, 183
Microspring threshold, 246
MIM addressing, 182
New entrant in LC TV race, 46
Overlaid LCDs indicate attitude if CRT fails, 182
Plasma brightness tamed, 182
Revolving LED display, 247
Short electrodes for big screen, 44
Tablet with the light touch, 45
Taking the heat out of EL, 44
Triple deflection for flat CRT, 45
Tubes equate luminances, 183
Two-speed LC terminal, 246
Varistor resolution, 246

Corrigendum

180